

Search Results
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)
[SUPPORT](#)

Results for "((batch processing)<in>ti)"

Your search matched **135** of **1773816** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
[e-mail](#) [printer friendly](#)
**New [Beta]
Application
Notes**
FORRESTER
GLOBALSPEC
Search Options
[View Session History](#)
[New Search](#)
Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((batch processing)<in>ti)

[Search](#)
☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

[IEEE/ET](#)
[Books](#)
[Educational Courses](#)
[Application Notes \[Beta\]](#)
IEEE/ET journals, transactions, letters, magazines, conference proceedings, and standards.
[view selected items](#) [Select All](#) [Deselect All](#)

 View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

- ☐ **1. Finite Memory Batch Processing Smoother**
 Rome, H.J.;
[Aerospace and Electronic Systems, IEEE Transactions on](#)
 Volume AES-7, [Issue 5](#), Sept. 1971 Page(s):968 - 973
 Digital Object Identifier 10.1109/TAES.1971.310338
[AbstractPlus](#) | Full Text: [PDF](#)(1185 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **2. Evaluating a Remote Batch Processing System**
 Amiot, L.; Natarajan, N.K.; Aschenbrenner, R.A.;
[Computer](#)
 Volume 5, [Issue 5](#), Sept. 1972 Page(s):24 - 29
 Digital Object Identifier 10.1109/C-M.1972.216963
[AbstractPlus](#) | Full Text: [PDF](#)(4038 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **3. Simple batch processing for forming high-reflective mirrors of short-cavity AlGaAs/GaAs lasers**
 Shieh, C.; Mantz, J.; Alavi, K.; Engelmann, R.;
[Photonics Technology Letters, IEEE](#)
 Volume 2, [Issue 3](#), March 1990 Page(s):159 - 161
 Digital Object Identifier 10.1109/68.50874
[AbstractPlus](#) | Full Text: [PDF](#)(308 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- ☐ **4. Control of batch processing systems in semiconductor wafer fabrication facilities**
 Gurnani, H.; Anupindi, R.; Akella, R.;
[Semiconductor Manufacturing, IEEE Transactions on](#)
 Volume 5, [Issue 4](#), Nov. 1992 Page(s):319 - 328
 Digital Object Identifier 10.1109/66.175364
[AbstractPlus](#) | Full Text: [PDF](#)(600 KB) [IEEE JNL](#)
[Rights and Permissions](#)

- ☐ **5. Hierarchical supervisory control for batch processes**
Tittus, M.; Lennartson, B.;
[Control Systems Technology, IEEE Transactions on](#)
Volume 7, [Issue 5](#), Sept. 1999 Page(s):542 - 554
Digital Object Identifier 10.1109/87.784418
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(324 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **6. Convergence of constrained model-based predictive control for batch processes**
Lee, K.S.; Lee, J.H.;
[Automatic Control, IEEE Transactions on](#)
Volume 45, [Issue 10](#), Oct. 2000 Page(s):1928 - 1932
Digital Object Identifier 10.1109/TAC.2000.881002
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(208 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **7. A neuro-fuzzy supervisory control system for industrial batch processes**
Frey, C.W.; Kuntze, H.-B.;
[Fuzzy Systems, IEEE Transactions on](#)
Volume 9, [Issue 4](#), Aug. 2001 Page(s):570 - 577
Digital Object Identifier 10.1109/91.940969
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(184 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **8. Hybrid intelligent control strategy. Supervising a DCS-controlled batch process**
Han-Xiong Li; Shouping Guan;
[Control Systems Magazine, IEEE](#)
Volume 21, [Issue 3](#), June 2001 Page(s):36 - 48
Digital Object Identifier 10.1109/37.924796
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(964 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **9. Loop shaping for iterative control of batch processes**
Gorinevsky, D.;
[Control Systems Magazine, IEEE](#)
Volume 22, [Issue 6](#), Dec. 2002 Page(s):55 - 65
Digital Object Identifier 10.1109/MCS.2002.1077785
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2596 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **10. Statistical monitoring of multistage, multiphase batch processes**
Undey, C.; Cinar, A.;
[Control Systems Magazine, IEEE](#)
Volume 22, [Issue 5](#), Oct. 2002 Page(s):40 - 52
Digital Object Identifier 10.1109/MCS.2002.1035216
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1877 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **11. Contrasting single-wafer and batch processing for memory devices**
Weimer, R.A.; Eppich, D.M.; Beaman, K.L.; Powell, D.C.; Gonzalez, F.;
[Semiconductor Manufacturing, IEEE Transactions on](#)
Volume 16, [Issue 2](#), May 2003 Page(s):138 - 146
Digital Object Identifier 10.1109/TSM.2003.810939
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(838 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-

- ☐ **12. Dynamic analysis of a moving coil-type LOA for load conditions using FEA batch process**
Duk-Hyun Kim; Jung-Pyo Hong; Gyu-Tak Kim;
[Magnetics, IEEE Transactions on](#)
Volume 39, [Issue 3](#), Part 1, May 2003 Page(s):1480 - 1483
Digital Object Identifier 10.1109/TMAG.2003.810503
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(667 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **13. Batch processing algorithms for blind equalization using higher-order statistics**
Chong-Yung Chi; Ching-Yung Chen; Chil-Horng Chen; Chih-Chun Feng;
[Signal Processing Magazine, IEEE](#)
Volume 20, [Issue 1](#), Jan. 2003 Page(s):25 - 49
Digital Object Identifier 10.1109/MSP.2003.1166627
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1570 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **14. A batch processing constant modulus algorithm**
Changjiang Xu; Jian Li;
[Communications Letters, IEEE](#)
Volume 8, [Issue 9](#), Sept. 2004 Page(s):582 - 584
Digital Object Identifier 10.1109/LCOMM.2004.835330
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(160 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **15. Modeling and Optimal Control of Batch Processes Using Recurrent Neuro-Fuzzy Networks**
Jie Zhang;
[Fuzzy Systems, IEEE Transactions on](#)
Volume 13, [Issue 4](#), Aug. 2005 Page(s):417 - 427
Digital Object Identifier 10.1109/TFUZZ.2004.841737
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(328 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **16. Control and optimization of batch processes**
Bonvin, D.; Srinivasan, B.; Hunkeler, D.;
[Control Systems Magazine, IEEE](#)
Volume 26, [Issue 6](#), Dec. 2006 Page(s):34 - 45
Digital Object Identifier 10.1109/MCS.2006.252831
[AbstractPlus](#) | Full Text: [PDF](#)(1438 KB) [IEEE JNL](#)
[Rights and Permissions](#)
-
- ☐ **17. Integrated tracking control strategy for batch processes using a batch-wise linear time-varying perturbation model**
Xiong, Z.H.; Zhang, J.; Wang, X.; Xu, Y.M.;
[Control Theory & Applications, IET](#)
Volume 1, [Issue 1](#), January 2007 Page(s):178 - 188
Digital Object Identifier 10.1049/iet-cta:20050177
[AbstractPlus](#) | Full Text: [PDF](#)(355 KB) [IET JNL](#)
-
- ☐ **18. Batch process automation - APPLYING THE PRINCIPLES OF BATCH AUTOMATION AND SELECTING A SUITABLE CONTROL SYSTEM AND SUPPLIER IS ONLY PART OF THE STORY. MANAGING A BATCH AUTOMATION PROJECT REQUIRES CONSIDERATIONS OVER AND ABOVE THOSE NEEDED FOR THE AUTOMATION OF A CONTINUOUS PROCESS PLANT.**
James, D.;
[Manufacturing Engineer](#)
Volume 85, [Issue 6](#), Dec.-Jan. 2006 Page(s):36 - 41
[AbstractPlus](#) | Full Text: [PDF](#)(974 KB) [IET JNL](#)
-

- ☐ **19. Batch process automation**
James, D.;
[Computing & Control Engineering Journal](#)
Volume 17, [Issue 6](#), Dec.-Jan. 2006 Page(s):32 - 37
[AbstractPlus](#) | Full Text: [PDF\(904 KB\)](#) [IET JNL](#)
-
- ☐ **20. Best of the batch [batch processing]**
James, D.;
[Computing & Control Engineering Journal](#)
Volume 17, [Issue 4](#), Aug.-Sept. 2006 Page(s):30 - 35
[AbstractPlus](#) | Full Text: [PDF\(714 KB\)](#) [IET JNL](#)
-
- ☐ **21. Batch-to-batch optimal control of nonlinear batch processes based on incrementally updated models**
Xiong, Z.; Zhang, J.;
[Control Theory and Applications, IEE Proceedings -](#)
Volume 151, [Issue 2](#), 23 March 2004 Page(s):158 - 165
Digital Object Identifier 10.1049/ip-cta:20040181
[AbstractPlus](#) | Full Text: [PDF\(1376 KB\)](#) [IET JNL](#)
-
- ☐ **22. PID control of batch processes along pre-optimised trajectories**
Pfeiffer, B.-M.;
[Computing & Control Engineering Journal](#)
Volume 14, [Issue 5](#), Oct.-Nov. 2003 Page(s):16 - 21
[AbstractPlus](#) | Full Text: [PDF\(551 KB\)](#) [IET JNL](#)
-
- ☐ **23. Micromachined metal thin-film pressure sensor suitable for batch process**
Chung, G.S.;
[Electronics Letters](#)
Volume 38, [Issue 22](#), 24 Oct 2002 Page(s):1344 - 1346
[AbstractPlus](#) | Full Text: [PDF\(425 KB\)](#) [IET JNL](#)
-
- ☐ **24. Reachability Problem of Marked Graphs with Batch Processing Arcs**
Mizuno, N.; Ohta, A.; Tsuji, K.;
[Industrial Electronics Society, 2007. IECON 2007. 33rd Annual Conference of the IEEE](#)
5-8 Nov. 2007 Page(s):70 - 75
Digital Object Identifier 10.1109/IECON.2007.4459954
[AbstractPlus](#) | Full Text: [PDF\(360 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
-
- ☐ **25. A Migration Path to IEC 61499 for the Batch Process Industry**
Peltola, J.; Christensen, J.; Sierla, S.; Koskinen, K.;
[Industrial Informatics, 2007 5th IEEE International Conference on](#)
Volume 2, 23-27 June 2007 Page(s):811 - 816
Digital Object Identifier 10.1109/INDIN.2007.4384878
[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

View: [1-25](#) | [26-50](#) | [51-75](#) | [76-100](#)

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)